

Elit range



The most complete system for garden awnings





ELIT

Description

This terrace and garden awning offers endless possibilities for enjoying the outside of your home and creating new, cosy, well-protected spaces. Starting with the basic structure of this awning, you can choose from the different models to meet the specific needs of any space.


Mounting

- **To walls and between walls**
 - Flat awning
- **Free-standing structure**
 - Square and rectangular gazebos
 - Oriental-style pagodas



Features:

- Meticulously designed for great aesthetics, all of the elements used to support the awning are hidden.
- Angle brackets in the corners make the structure very stable.
- Inclined hem system keeps water from accumulating in the pleats when it rains.
- A second piece of fabric can be installed above the awning in order to help keep the fabric in top condition while creating an insulating thermal barrier (with 4-slot hems).
- Latticework makes it easy to increase the size of a garden awning without having to add additional columns.




ELIT FLAT AWNING



Ideal for installation

- On terraces, patios and rooftop terraces

Dimensions



Mounting

- Wall
- Between walls
- Free Standing



Operation

- Manual
- Motorised



Accessories

- Elit Vertical



Also available

- With *pecho de paloma* decorative finishes



Technical specifications

- Elit flat manual operation (with cord)

Maximum dimensions without latticework or intermediate columns

Guides	Max. width	Max. projection	Operation
2	4.00 m	5.00 m	1 cord
3	5.00 m	5.50 m	2 cords

Maximum dimensions with latticework or intermediate columns

Guides	Max. width	Max. projection	Operation	Inter. col. (gazebo type)	Inter. col. (wall type)
2	5.00 m	7.00 m	1 cord	2	2
3	8.00 m	7.00 m	2 cords	4	3
4	10.00 m	7.00 m	2 cords	6	4

- Elit flat motorised operation

Maximum dimensions without latticework or intermediate columns

Guides	Max. width	Max. projection	Operation
2	5.00 m	5.00 m	1 motorisation set

Maximum dimensions with latticework or intermediate columns

Guides	Max. width	Max. projection	Operation	Inter. col. (gazebo type)	Inter. col. (wall type)
2	5.00 m.	7.00 m.	1 mot. set	2	2
3	7.00 m.	7.00 m.	1 mot. set + 1 int.	4	3

Mot. set: motorisation set Int. kit: Intermediate kit